

1985 DODGE

WAGONS & VANS



For people who need efficiency and capacity, Ram Wagons provide a Ram Tough answer. A durable, quality answer. Because Ram Wagons haul passengers or a load of gear, and do it better than any conventional wagon can.

Along with spacious room and handsome styling inside and out, Ram Wagons ride comfortably. Not

to mention a long way, because 22-gallon fuel tanks are standard on all wagon models. Each Ram Wagon also has standard power steering, tinted glass, a large battery and alternator, and power brakes.

Ram Wagon rides rock-steady on either of two wheelbases: the 109.6-inch wheelbase on the B150 Value Wagon, shown below in Light Blue

Metallic/Navy Blue Metallic; or the 127.6-inch wheelbase on the B250 Royal SE Prospector, shown below in Medium Golden Brown Metallic/Cream. And Ram Wagon will fit your budget as easily as it maneuvers into a curbside space.

The benefits of Ram Wagons add up to an easy answer for anyone in need of comfort, family roominess,

good mileage, dependability, quality, and a budget fit.

Need room for more than the family? The B350 Maxiwagon, shown below in Crimson Red and White, can shoulder the load. The 127.6-inch wheelbase supports an extended body featuring available seating for up to 15 people. The capacity of Maxiwagon makes it ideal for com-

mercial van pooling and airport limousine use.

The three-passenger quick-release rear bench seats on all Ram Wagons provide an efficient and elegant way to interchange passenger space with cargo space. Other seating arrangements possible with Ram Wagons are shown at the right.

Wagon Seating Arrangements

- A. Standard five-passenger seating; all models.
- B. Optional eight-passenger seating; B150 109.6-inch wheelbase model with optional 6,010-Pound GVW Package, and all B250 and B350 models.
- C. Optional twelve-passenger seating; B350 model; rear door(s) with optional vented glass required at extra cost.
- D. Optional fifteen-passenger seating; B350 127.6-inch wheelbase Maxiwagon; rear door(s) with optional vented glass, and 8,510-Pound GVW Package required at extra cost.

DODGE RAM WAGONS FOR PEOPLE ON THE MOVE.



About this catalog. Since the time of printing, some of the information you'll find in this catalog may have been updated. Ask your dealer for details.

Some of the equipment shown or described throughout this catalog is available at extra cost.

For your job or for your pleasure, Ram Vans pack big payloads, do a multitude of chores, and last a long time. You get volume, versatility and value in all Ram Tough Ram Vans.

They carry the weight. From 1,195 pounds in B150 model Ram Vans to 4,635 pounds in B350 models. And you get up to 304.5 cubic feet of

cargo area in the Maxivan, America's roomiest.*

They move with authority. Steadily, on either of two wheelbases: 109.6 or 127.6 inches. Smoothly, on independent front suspension with coiled springs. Forcefully, with the 3.7-liter 225 CID Slant Six engine in the B150 and B250 models, and the 5.2-liter 318 CID V-8 engine in

B350 models.

And they go a long way with the standard 22-gallon tank. Or the larger 35-gallon tank in the Long Range Ram Van.

Numerous standard features make each Ram Van a special value. Tinted glass cuts glare. Power brakes heighten control, as does power steering. The in-cab hood

release fosters convenience and deters engine tampering. The standard driver's seat is an all-vinyl low-back bucket.

Ram Van's instrument panel displays the standard array of meters and gauges, plus available air conditioning, trip odometer, oil pressure gauge, stereo sound system, and deluxe intermittent windshield wipers.

The value of your Ram Van climbs when you add the Exterior Appearance Package. This assembles a number of options into one array. It's a smart way to enhance the affordable Ram Van you want to drive.

*Cubic capacity calculated by SAE Standard HSJ1100a.

Many of the items shown on vehicles in this catalog are available through retail organizations and establishments not connected with Chrysler Corporation. Availability, price, quality and durability of these items rest solely with the respective manufacturers and their sales organizations, and Chrysler Corporation assumes no responsibility for their use.

1985 DODGE RAM VANS. FULL-SIZE VOLUME, VALUE AND VERSATILITY.



(Top) The B150 Long Range Ram Van with 109.6-inch wheelbase, shown in Navy Blue Metallic.

(Below) The B350 Maxivan, with 127.6-inch wheelbase, shown in Burnished Silver Metallic.

(Top) B250 Ram Van with 127.6-inch wheelbase, shown as a conversion unit with aftermarket accessories.

(Below) The B150 Ram Van with 109.6-inch wheelbase, shown in Forest Green Metallic.

WAGON & VAN OPTIONS & PACKAGES

Selected Options

Certain models, packages, and options are subject to specific restrictions, requirements, and late availability. Consult your dealer for current ordering information.

- Air Conditioning—Front: integral
- Air Conditioning—Rear: auxiliary; with or without auxiliary heater
- Alternator—114-amp
- Battery—500-amp maintenance-free, heavy-duty
- Bumpers—Front and rear: bright
- Bumpers, Guards and Nerf Strips—Front and rear: bright
- Cooling—Auxiliary: transmission oil-to-air
- Cooling—Engine: maximum
- Defroster—Rear window, electric; for single rear door (vented glass only)
- Door—Dual rear: with vented glass
- Door—Single rear: with vented glass
- Door—Sliding: passenger side: with vented glass
- Fuel Tank—35-gallon
- Gauges—Oil pressure; trip odometer
- Glass—Sun screen
- Grille—Bright: includes quad rectangular headlamps, vertically stacked, with halogen high beams
- Heater—Engine block
- Mirrors—Exterior: dual low-mount: bright
- Moldings—Lower: include side, rear
- Moldings—Upper: include side, rear, and bright taillamp bezels
- Power—Door locks: electric, all doors
- Power—Windows: electric, front doors only
- Radio—AM/FM stereo: electronic tuning; integral digital clock
- Radio—AM stereo*/FM stereo premium: electronic tuning; Seek-and-Scan; cassette player with automatic reverse; Dynamic Noise Reduction (DNR);† four speakers; integral digital clock
- Radio—AM stereo*/FM stereo 36-watt Ultimate Sound System: electronic tuning; memory scan; up-and-down scan; cassette player with automatic reverse; metal tape capability; Dynamic Noise Reduction (DNR);† five-channel graphic equalizer; joystick balance/fader control; ambient sound control; four speakers; integral digital clock
- Shock Absorbers—Heavy-duty: front and rear
- Speed Control—Automatic
- Stabilizer Bar—Front
- Steering Column—Tilt type
- Steering Wheel—Luxury type
- Wheel Covers—Deluxe: bright
- Wheels—Road: 15-inch aluminum (set of four)
- Wheels—Road: 15-inch spoked, argent painted with bright trim ring (set of four)
- Windshield Wipers—Deluxe two-speed with intermittent wipe

*Limited AM stereo reception may be experienced in some areas because some AM stereo broadcasting is not compatible with this radio's reception capability.

†DNR (Dynamic Noise Reduction) is a trademark of National Semiconductor Corporation.

Ram Wagon Packages

Royal SE Package

All B150, B250, B350 models.

Exterior:

- Bumpers—Front and rear: bright
- Bright grille and vertically stacked quad rectangular headlamps with halogen high beams
- Bright moldings around windshield and side and rear fixed windows (except driver and passenger door windows), lower bodyside, and rear
- Leaping Ram plaque with 150, 250, and 350 Royal SE on front door
- Bright taillamp bezels
- Deluxe two-speed windshield wipers with intermittent wipe

Interior:

- Carpeting—Floor, around engine housing cover, and over fuel filler cover: color-keyed
- Cigar lighter light
- Courtesy step well lamp; front and side doors
- Dash liner insulation
- Front door trim panel applique with assist strap
- Glove box lock and light
- Soft cloth-covered headliner (color-keyed) with insulation: driver and passenger compartment
- Ignition and headlamp switch with time delay (not available with optional tilt steering column)
- Instrument panel lower side skirts: color-keyed
- Dome/reading lamps (two)
- "Royal SE Engineered Ram Tough" nameplate on instrument panel
- Oil pressure gauge and trip odometer
- Driver and front passenger reclining high-back Command bucket seats and rear bench seat(s) in deluxe Kincaid cloth and Saddle Grain vinyl trim: color-keyed
- Spare tire cover: color-keyed
- Luxury steering wheel: color-keyed
- Low washer fluid warning light
- Woodtone applique on lower face of instrument panel

Exterior Appearance Package

- Bright grille
- Bright front and rear bumpers
- Bright taillamp bezels
- Bright windshield molding
- Dual vertically stacked quad rectangular headlamps with halogen high beams
- Bright side and rear fixed window moldings (except driver and front passenger windows)

Eight-Passenger Seating Package

B150 109.6-inch wheelbase model with available 6,010-Pound GVW Package, and all B250, B350 Wagon and Maxiwagon models.

- Includes one additional quick-release three-passenger bench seat with three seat belts

Twelve-Passenger Seating Package

All B350 models. Rear door(s) with optional vented glass required at extra cost.

- Includes two additional bench seats: 2nd—three-passenger quick-release bench seat with three seat belts; 3rd—four-passenger bench seat with four seat belts
- Spare tire carrier relocated under 3rd bench seat

Fifteen-Passenger Seating Package

B350 127.6-inch wheelbase Maxi-wagon only; 8,510-Pound GVW Package and rear door(s) with optional vented glass required at extra cost.

- Includes three additional bench seats: 2nd—three-passenger quick-release bench seat with three seat belts; 3rd—three-passenger quick-release bench seat with three seat belts; 4th—four-passenger bench seat with four seat belts
- Tire carrier relocated under 4th bench seat

Trailer Towing Preparation Package

B250 and B350 models. Transmission oil-to-air auxiliary cooling, automatic transmission on B250 models, 318 CID or 360 CID V-8 engine (318 CID in California), and specified rear axle ratio required at extra cost.

- Includes maximum engine cooling
- 500-amp maintenance-free heavy-duty battery
- Heavy-duty variable load turn signal flasher
- Heavy-duty front and rear shock absorbers
- Front stabilizer bar
- Convenience Package
- Glove box lock and light
- Cigar-lighter light
- Ignition and headlight switch with time delay lights (not available with tilt steering column)
- Low washer fluid level warning light
- Deluxe two-speed windshield wipers with intermittent wipe

Prospector Packages

All Ram Wagons and Maxiwagons except Ram Value Wagon.

Package I

- Convenience Package
- Bright front and rear bumpers
- 35-gallon fuel tank
- Oil pressure gauge and trip odometer
- Bright grille with quad headlamps and halogen high beams
- Bright low-mount mirrors
- Bright wheel covers
- Prospector nameplates

Package II

All the items in Package I, plus:

- Royal SE Decor Package
- Bright bumpers, guards and nerf strips, front and rear

Package III

All the items in Package II, plus:

- Two-Tone Paint Procedure
- Air conditioning: front
- Power door locks
- Power windows
- Tilt steering column (when automatic transmission is ordered)

Ram Van Packages

Convenience Package

- Cigar Lighter Light
- Light—Warning: low washer fluid

- level
- Lights—Ignition and headlight switches with time delay (not available with tilt steering column)
- Lock and Light—Glove box
- Windshield Wipers—Deluxe two-speed; with intermittent wipe

Exterior Appearance Package

- Bezels—Taillamps: bright
- Bumpers—Front and rear: bright
- Grille—Bright
- Headlamps—Dual vertically stacked quad rectangular; with halogen high beams
- Molding—Rear bodyside fixed window with Vision Van Window Package and vented side glass only: bright
- Molding—Windshield: bright

School Bus Package for B350 models

With Solid Side Panel Van or Vision Van only. Required equipment at extra cost: Van Window Package for Solid Side Panel Van or Vision Van; vented glass with Van Window Package; 360 CID V-8 engine; 8,510-Pound GVW Package.

- Glass—Banded: front door main panel and vent wings
- Paint—School bus yellow
- Parking Brake Switch

Van Conversion Appearance Package

- Exterior Appearance Package
- Instrument Panel—Woodtone applique: color-keyed left and right lower skirts
- Trim—Garnish: over front door headers; A-pillar, and around windshield
- Prospector Van Conversion Package
- Air Conditioning—Front
- Bumpers, Guards and Nerf Strips—Front and rear: bright
- Convenience Package
- Door Locks—Power: all doors
- Fuel Tank—35-gallon
- Gauge—Oil pressure
- Mirrors—Exterior: dual low-mount
- Nameplates—Prospector
- Scuff Pads—Rubber
- Speed Control—Automatic
- Steering Column—Tilt
- Transmission—Automatic (standard B350 models)
- Trip Odometer
- Van Conversion Appearance Package
- Windows—Power: front doors

Trailer Towing Preparation Package—B250 and B350 models.

- Required equipment at extra cost: 318 two-barrel or 360 four-barrel V-8 engine, automatic transmission, auxiliary cooling—transmission-oil-to-air, and certain selected axle ratios.
- Battery—500-amp heavy-duty; maintenance-free
 - Engine Cooling—Maximum
 - Shock Absorbers—Heavy-duty: front and rear
 - Stabilizer Bar—Front
 - Variable Load Flasher—Heavy-duty

Model	B150 Long Range Ram Van	B150 VAN		B250 VAN	B250 VAN & MAXIVAN
Wheelbase (inches)	109.6/127.6	109.6/127.6	109.6/127.6	109.6/127.6	127.6
GVW (lbs)	5,300	4,700	5,300	6,010	6,400
Payload (lbs)	1,680/1,570	1,195/1,085	1,770/1,660	2,475/2,350	2,710/2,570
Axle Capacity (lbs)	Front Rear	3,300 3,850	3,300 3,850	3,300 3,850	3,300 3,850
Brakes (inches)	Front Disc Rear Drum Booster (vacuum)	11.75 x 1.25 11 x 2.5 10.5 single	11.75 x 1.25 11 x 2.5 10.5 single	11.75 x 1.25 11 x 2.5 10.5 single	11.75 x 1.25 11 x 2.5 10.5 single
Engine—Std		3.7-liter (225 CID) Slant Six		3.7-liter (225 CID) Slant Six 5.2-liter (318 CID) 2-bbl V-8 5.9-liter (360 CID) 4-bbl V-8 ¹	
—Opt		5.2-liter (318 CID) 2-bbl V-8		5.9-liter (360 CID) 4-bbl V-8 ¹	
Spring Rating (lbs)	Front Rear—Std —Opt	Computer selected 1,610 1,810	Computer selected 1,375 1,610 h.d.	Computer selected 1,610 1,980 h.d.	Computer selected 1,980 —
Shock Absorber Diameter (inches)	Front—Std —Opt Rear—Std	1.0 1 1/8 1.0 1 1/8	1.0 1 1/8 1.0 1 1/8	1.0 1 1/8 1.0 1 1/8	1.0 1 1/8 ² 1.0 1 1/8 ²
Steering—Std		Power		Power	
Transmission—Std —Opt		4-speed manual overdrive 3-speed automatic		4-speed manual overdrive 3-speed automatic	
Tire Size (steel-belted radial)	P205/75R15	P195/75R15	P205/75R15	P225/75R15	P235/75R15XL
Wheel Rim Size (inches)	15 x 6.50	15 x 6.50	15 x 6.50	15 x 6.50	15 x 6.50 h.d. (Maxi)

¹Not available in California.

²1 1/8-inch heavy-duty front and rear shock absorbers are standard on B250 MaxiVan.

Note: Payload should be reduced by the weight of occupants and any optional equipment.

Dodge Wagon Specifications

	Ram Value Wagon	B150 Wagon	B250 Wagon & Maxiwagon	B350 Wagon & Maxiwagon
GVW (lbs)	5,300	6,010	6,010	6,400
Wheelbase (inches)	109.6	109.6	127.6	127.6
Payload (lbs)	1,380	2,065	1,935	2,290
Axle Capacity (lbs)	Front Rear	3,300 3,850	3,300 3,850	3,300 3,850
Brakes (inches)	Front Disc Rear Drum Booster	11.75 x 1.25 11 x 2.5 vacuum 10.5 single diaphragm	11.75 x 1.25 11 x 2.5 vacuum 10.5 single diaphragm	11.75 x 1.25 11 x 2.5 vacuum 10.5 single diaphragm
Engine—Std Opt		3.7-liter (225 CID) Slant Six 5.2-liter (318 CID) 2-bbl V-8	3.7-liter (225 CID) Slant Six 5.2-liter (318 CID) 2-bbl V-8	3.7-liter (225 CID) Slant Six 5.2-liter (318 CID) 2-bbl V-8 ¹ 5.9-liter (360 CID) 4-bbl V-8 ²
Shock Absorbers, Front and Rear (dia-in.) Std Opt		1.0 1 1/8	1.0 1 1/8	1.0 1 1/8 ¹
Spring Ratings (lbs)	Front Rear—Std Opt	Computer selected 1,610 1,810	Computer selected 1,610 1,980	Computer selected 1,980 1,980
Steering		Power	Power	Power
Transmission: Std		4-speed manual overdrive	4-speed manual overdrive	4-speed manual overdrive (Wagon) 3-speed automatic (Maxi) 3-speed automatic (Wagon)
Opt		3-speed automatic	3-speed automatic	3-speed automatic (Wagon)
Tire Size	P205/75R15 steel-belted radial—std with 5,300-lb GVW P235/75R15XL steel-belted radial—std with 6,010-lb GVW	P205/75R15 steel-belted radial—std with 5,300-lb GVW P235/75R15XL steel-belted radial—std with 6,010-lb GVW	P225/75R15 steel-belted radial—std with 6,010-lb GVW P235/75R15XL steel-belted radial—std with 6,400-lb GVW	P225/75R15 steel-belted radial—std with 6,010-lb GVW P235/75R15XL steel-belted radial—std with 6,400-lb GVW
Wheel Rim Size (inches)	15 x 6.50	15 x 6.50	15 x 6.50	15 x 6.50 15 x 6.50 heavy-duty (Maxi)

¹Standard on MaxiWagon; optional on regular Wagon.

²Not available in California.

Note: Maximum payloads are based on models with minimum load-carrying components. Payloads should be reduced by weight of occupants and any optional equipment.

WAGON & VAN SPECIFICATIONS

Model	B350 VAN/MAXIVAN			
Wheelbase (inches)	127.6/ 127.6 Maxi	127.6/ 127.6 Maxi	127.6/ 127.6 Maxi	127.6 Maxi
GVW (lbs)	7,500	8,510	8,510 ¹	9,000
Payload (lbs)	3,490/3,290	4,365/4,235	4,390/4,240	4,635
Axle Capacity (lbs)	Front Rear	4,000/ 3,600 Maxi 5,500	3,600 5,500	4,000 6,200
Brakes (inches)	Front Disc Rear Drum Booster	12.82 x 1.19 12 x 2.5 11.5 single	12.82 x 1.19 12 x 2.5 11.5 single	12.82 x 1.19 12 x 3 11.5 single
Engine—Std	5.2-liter (318 CID) 2-bbl V-8 5.9-liter (360 CID) 4-bbl V-8	5.9-liter (360 CID) 4-bbl V-8		
—Opt				
Spring Rating (lbs)	Front Rear—Std —Opt	Computer selected 2,360 2,770 h.d.	Computer selected 2,770 —	Computer selected 2,670 —
Shock Absorber Diameter (inches)	Front—Std —Opt Rear—Std —Opt	1.0 1 1/8 1.0 1 1/8	1.0 1 1/8 ² 1.0 1 1/8 ²	1 1/8 — 1 1/8 —
Steering—Std		Power		
Transmission—Std		3-speed automatic		
Tire Size (polyester bias-belted)	8.00-16.5E 8.75-16.5E Maxi	8.75-16.5E	8.75-16.5E	8.75-16.5F steel-belted radial
Wheel Rim Size (inches)	16.5x6.00 16.5x6.75 Maxi	16.5x6.75	16.5x6.75	16.5x6.75 h.d.

¹With School Bus Package only. ²Standard on regular van.

Note: Payload should be reduced by the weight of occupants and any optional equipment.

WAGON & VAN STANDARD FEATURES

Dodge Van and Wagon Selected Standard Features

- Air Cleaner—Dry type
- Alternator—12-volt, 60-amp
- Antifreeze
- Armrests—Driver and front passenger (Wagon models)
- Ashtray—Driver's compartment
- Battery—400-amp maintenance-free —500-amp maintenance-free (B350 Maxiwagon)
- Brakes—Power front disc; rear drum
- Bumpers—Painted: front and rear (bright finish on Long Range Ram Van and Ram Value Wagon)
- Buzzer Warning—Key in ignition, headlamps on, fasten seat belts
- Carpeting—Color-keyed (full length on Ram Value Wagon)
- Cigar Lighter
- Cleaner Air System
- Doors—Cargo: double hinged type, right side and rear, no glass; all doors include easily removed metal check arm (Van models)
- Doors—Passenger: hinged type right-side double doors with vented glass, rear single door with fixed glass, and inside door handle and lock button; all doors include easily removed metal check arm (Wagon models)
- Electronic Ignition System
- Floor Mat—Driver's side of compartment: black (Van models)
- Floor Mat—Full width: black (Wagon models)
- Fuel Tank—22-gallon (35-gallon on Long Range Ram Van)
- Glass—Tinted: all windows
- Glove Box—With door
- Grille—Argent finish (bright finish on Long Range Ram Van and Ram Value Wagon)
- Headlamps—7-inch round (quad rectangular on Long Range Ram Van and Ram Value Wagon)
- Headliner—Driver's compartment (Van models); full length (Wagon models)
- Heater—Deluxe: fresh air with defroster
- Hood Release—In-cab activated
- Horns—Dual: electric
- Hubcaps—Bright: four (wheel covers standard on Long Range Ram Van and Ram Value Wagon)
- Instrumentation—Speedometer, odometer, fuel gauge, temperature gauge, ammeter, and oil pressure indicator light (trip odometer and oil pressure gauges standard on Ram Value Wagon)
- Jack—Bumper type (B150, B250); axle type (B350)
- Lights—Backup with integral stop and taillamps; license plate; combined rear side marker lights and reflectors—red (two); combined front parking lamps—amber (two); dome, driver and cargo/passenger compartment with door-operated switches
- Locks—All doors
- Mirrors—Interior rear vision day/night type (Wagon models)
- Mirrors—Exterior 5-inch by 7-inch, left and right sides: bright (all models)
- Nameplate—On front doors
- Oil Filter—Throwaway type
- Power Steering—All models
- Radio—AM electronically tuned, with digital clock (Wagon models)
- Scuff pads—Side step sill, front and rear doors (Wagon models)
- Shock Absorbers—Heavy-duty: front and rear (B250 Maxiwagon and Maxivans only)
- Steering Wheel—15-inch diameter: color-keyed
- Sun Visor—Driver's side (Van models); driver and passenger sides (Wagon models)
- Tire Carrier—Spare: inside-mounted
- Windshield Washers—Wiper-arm mounted: electric
- Windshield Wipers—Two-speed non-intermittent with washer (intermittent type standard on Ram Value Wagon)

Ram Van and Wagon Standard Safety Features

- Backup lights
- Brake system warning light
- Directional signals: parking and taillamps, front and rear
- Dual braking system with separate brake fluid reservoirs in the master cylinder
- Electric windshield washers and wipers
- Energy-absorbing steering column
- Fade-resistant front disc brakes
- Glare reduction measures for windshield wipers, instrument panel and steering wheel
- Ignition and steering column lock
- Inside hood release
- Outside rearview mirrors
- Padded instrument panel and sun visor
- Recessed inside door release handles
- Resilient window crank knobs
- Safety-Rim 15-inch wheels
- Side marker lights and reflectors
- Traffic hazard warning flasher system
- Unibelt restraint system

Ram Van and Wagon Exterior Colors



NOTE: Due to occasional printing irregularities, the colors shown may vary slightly from actual hues. See your Dodge dealer for accurate color chips.

About this catalog. Specifications, descriptions and illustrative material contained herein were as accurate as known at the time this publication was approved for printing. Chrysler Corporation reserves the right to discontinue models or options at any time or change specifications and materials, equipment or design without notice and without incurring obligation. All options and accessories illustrated or referred to as optional or available in this publication are at extra cost. Some options are required in combination with other options. For the price of the model with the equipment you desire or verification of specifications contained herein, see your Dodge Truck dealer.

Many of the items shown on vehicles in this publication are available through retail organizations and establishments not connected with Chrysler Corporation. Availability, price, quality and durability of these items rest solely with the respective manufacturers and their sales organizations, and Chrysler Corporation assumes no responsibility for their use.

